


TOUCHMONITOR KEETOUCH 10.4 "
OPEN FRAME KOT-0104U-RE1.4P



KEETOUCH EMBEDDED MONITOR – IS A PERFECT EMBEDDED SOLUTION FOR YOUR PROJECT.

TOUCHMONITOR KEETOUCH 10.4 " OPEN FRAME KOT-0104U-RE1.4P SPECIALLY DESIGNED FOR EASY INTEGRATION AND LONG LASTING OPERATION.

THE MONITOR HAS A SEVERAL OPTIONS FOR MOUNTING. THIS MODEL HAS A SOLID FRAMEWORK. THE FRONT PANEL OF THE MONITOR IS PROTECTED AGAINST DUST. RESISTIVE TOUCH SCREEN HAS A HIGH ACCURACY AND ACCEPTS TOUCH INPUT FROM A HAND OR STYLUS.


ADVANTAGES

- HIGH ACCURACY
- THE DEVICE RESPONDS TO ANY OBJECT (FINGER, STYLUS, A PLASTIC CARD)
- DUST PREVENTION
- ROBUST CASE
- HIGH-SPEED OF DATA PROCESSING
- EASY TO USE
- GREAT FOR AUTOMATION WORKFLOW IN THE PROFESSIONAL SPHERE

ADDITIONAL INFORMATION

MODEL NO.	KOT-0104U-RE1.4P
SERIES	Dust-proof (front panel)
MONITOR TYPE	Openframe
DISPLAY SIZES	10.4 "
ASPECT RATIO	4:3
TOUCHSCREEN TYPE	Resistive touch sensor
TOUCHPOINTS	1 point
DISPLAY TYPE	Active matrix TFT- LCD
ACTIVE AREA	W 211,2 mm × H 158.4 mm
MONITOR WIDTH	257 mm
MONITOR HEIGHT	199 mm
MONITOR DEPTH	45,5 mm
OPTIMAL RESOLUTION	800 X 600
COLORS	16.2 M
BRIGHTNESS	250 cd/m2
VIEWING ANGLE (H)	Left 75° / right 75°
VIEWING ANGLE (V)	Up 50°/ down 60°
CONTRAST	500:1
FREQUENCY H / V	30~80 KHz / 60~75 Hz
POWER SOURCE	External brick
INPUT VOLTAGE	100-240 VAC, 50-60 Hz
OUTPUT VOLTAGE	12 volts 1 amps
POWER CONSUMPTION	15.44 W Max.
WORKING TEMPERATURE	-10~50°C
STORAGE TEMPERATURE	-20~60°C
WORKING HUMIDITY	20%~80%
STORAGE HUMIDITY	10%~90%
DIGITAL VIDEO IN	—
ANALOG VIDEO IN	VGA
TOUCHSCREEN IN	USB
MOUNTING VESA SIZES	75 mm
MOUNTING OPTIONS	Horizontal or vertical brackets
ON-SCREEN DISPLAY FUNCTION (OSD)	Brightness, Contrast Ratio, Auto-adjust, Phase, H/V Location, Languages, Reset
BUTTONS	AUTO,+,POWER,-,MENU
AMOUNT IN PACKAGE	2 pcs in one package
BOX SIZE	L 330 mm × H 280 mm × W 220 mm
GROSS WEIGHT	5.85 Kg 2 pcs in one box

DRAWING



THE MAIN APPLICATIONS

- TRADING
- MANUFACTURING
- HOSPITALITY
- MEDICINE
- RESTAURANTS
- TRANSPORT
- EDUCATION
- ADVERTISING
- SECURITY
- EXPOSITION

YOU CAN USE THIS MONITOR IN ANY OTHER SPHERE

CONTACT US:

Keetouch GmbH
www.keetouch.eu
E-Mail: info@keetouch.eu

Tel.: +498007242348
Splieterstraße 61
48231 Warendorf, Deutschland