



KEETOUCH EMBEDDED MONITOR – IS A PERFECT EMBEDDED SOLUTION FOR YOUR PROJECT.

TOUCHMONITOR KEETOUCH 10.4 '' OPEN FRAME KOT-0104U-SA4BP SPECIALLY DESIGNED FOR EASY INTEGRATION AND LONG LASTING OPERATION.

THE MONITOR HAS AN OPTION FOR HORIZONTAL MOUNTING. THIS MODEL HAS A SOLID FRAMEWORK AND DURABLE GLASS, WHICH PROTECTS LCD FROM MECHANICAL IMPACTS. THE FRONT PANEL OF THE MONITOR IS PROTECTED AGAINST DUST. SAW TOUCH SCREEN CAN WITHSTAND INTENSIVE OPERATION AND PERFECTLY SUITS FOR PUBLIC PLACES.


ADVANTAGES

- DURABILITY
- DUST PREVENTION
- ROBUST CASE
- VANDAL RESISTANCE
- HIGH LIGHT TRANSMISSION
- EASY TO USE
- EXCELLENT FOR USE IN PUBLIC PLACES

ADDITIONAL INFORMATION

MODEL NO.	KOT-0104U-SA4BP
SERIES	Dust-proof (front panel)
MONITOR TYPE	Openframe
DISPLAY SIZES	10.4 "
ASPECT RATIO	4:3
TOUCHSCREEN TYPE	SAW (Surface Acoustic Wave)
TOUCHPOINTS	1 point
DISPLAY TYPE	Active matrix TFT- LCD
ACTIVE AREA	W 211,2 mm × H 158.4 mm
MONITOR WIDTH	257 mm
MONITOR HEIGHT	199 mm
MONITOR DEPTH	45,5 mm
OPTIMAL RESOLUTION	800 X 600
COLORS	16.2 M
BRIGHTNESS	270 cd/m ²
VIEWING ANGLE (H)	left 75° / right 75°
VIEWING ANGLE (V)	up 50° / down 60°
CONTRAST	500:1
FREQUENCY H / V	30~80 KHz / 60~75 Hz
POWER SOURCE	External brick
INPUT VOLTAGE	100-240 VAC, 50-60 Hz
OUTPUT VOLTAGE	12 volts at 1 amps
POWER CONSUMPTION	15.44 W Max.
WORKING TEMPERATURE	0~50°C
STORAGE TEMPERATURE	-20~60°C
WORKING HUMIDITY	20%~80%
STORAGE HUMIDITY	10%~90%
DIGITAL VIDEO IN	—
ANALOG VIDEO IN	VGA
TOUCHSCREEN IN	USB
MOUNTING VESA SIZES	75 mm
MOUNTING OPTIONS	Horizontal or vertical brackets
ON-SCREEN DISPLAY FUNCTION (OSD)	Brightness, Contrast Ratio, Auto-adjust, Phase, H/V Location, Languages, Reset
BUTTONS	AUTO,+,POWER,-,MENU
AMOUNT IN PACKAGE	2 pcs in one package
BOX SIZE	L 330 mm × H 280 mm × W 220 mm
GROSS WEIGHT	6.55 Kg 2pcs in one box

DRAWING



THE MAIN APPLICATIONS

- TRADING
- MANUFACTURING
- HOSPITALITY
- MEDICINE
- RESTAURANTS
- TRANSPORT
- EDUCATION
- ADVERTISING
- SECURITY
- EXPOSITION

YOU CAN USE THIS MONITOR IN ANY OTHER SPHERE

CONTACT US:

Keetouch GmbH
www.keetouch.eu
E-Mail: info@keetouch.eu

Tel.: +498007242348
Splieterstraße 61
48231 Warendorf, Deutschland